

# Technical Rider Mary Dresselhuys hall



## Contact

Stagedoor + mailing adress	Leidsekade 91 1017 PN Amsterdam
Loading dock	Marnixstraat 402 1017 PL Amsterdam
Phonenumber	+31 20 5552627
Head of technical department	Melvin Oerlemans 020 5552660 <a href="mailto:melvin.oerlemans@delamar.nl">melvin.oerlemans@delamar.nl</a>
Deputy head of technical department	Mark Bouma <a href="mailto:mark.bouma@delamar.nl">mark.bouma@delamar.nl</a>

## Logistics

Loading dock adress	Marnixstraat 402 1017 PL Amsterdam
Stage Acces	Elevator platform to stage right 6,0 m x 2.74 m (l x b)
Maximum # trucks docked simultaniously	1
Details	Dock is shared for both auditorium. No parking allowed in the loading dock.

## Seating

Seats	601
Stalls	381
Balcony	220
Show start	20.30



## Stage

### Stage Dimensions

Stageplot: 13 m x 6,80 m

### Width

Right wall	-11,7 m
Left wall	7,89 m
Sidebrige right	-6,81 m
Sidebrige left	6,95 m
Proscenium opening	9,98 m
Downstage proscenium max.	10,53 m (L -5,27 - R 5,26)
Downstage proscenium min.	8,95 m (L -4,51 - R 4,44)

### Depth measured from plotting line

Rearside proscenium	-1,28 m
Downstage edge	-2,54 m
Lighting bridge (mid)	-9 m
Edge of audit balcony (mid)	-9,42 m
Audit rear wall	-19,4 m
Rear fly bar (#30)	6,75 m
Rearwall stage	6,94 m



<b>Height</b>	
Grid	13,45 m
Max height flybars	12,4 m
Portal bridge height	9,32 m
Proscenium height	6 m
Under left gallery	7,39 m
Under right gallery	7,39 m
Stageheight	0,97 m

<b>Flooring</b>	
Wooden floor	Keruing parquet
Rake	None
Marley	Available in black
Max load (kg/m2)	500

<b>Curtain</b>	
Colour	Red
Operation	Greek, manually operated stage right

<b>Stage bordering</b>
Legs, borders, gauss and backdrops available. Contact the venue for details.



<b>Flybars</b>	
Manufacturer	STS (Silicon Theatre Scenery)
Operator location	Stage right
Number of flybars	30
Spacing	0,20 m
Bar width	13 m
Max height	12.40 m
Max load	500 kg
Max speed	1.8 m/s
<b>Side flybars</b>	1 on stage left, 1 on stage right. Max load: 500kg

<b>Single point hoists</b>	
Hoists:	4 to be placed at will on the grid above stage
Max load	250 kg
Max speed	1.8 m/s

<b>Chain Hoists</b>	
Position	4 in traverses above stage
Max load	1000 kg
Max speed	0,8 m/s

<b>Miscellaneous</b>	
Static portal bridge; lighting fixtures in separate flybar underneath bridge..	
A lift platform connects the stage to the loadingdock below. This platform occupies the entire right wing of the stage	